

[» HP Home](#)[» Products & Services](#)[» Support & Drivers](#)[» Solutions](#)[» How to Buy](#)[» Contact HP](#)

Search:

[Products & Services](#)[All of Australia](#)[HP LaserJet Multifunctional/All-in-One products](#)

HP LaserJet 3052/3055 All-in-One series - Specifications

**starting from AU\$599
Including GST**[» Technical Support](#)
[» Data sheets / Documents](#)[» Products & Services](#)[» HP LaserJet Multifunctional/All-in-One products](#)[» Promotions](#)[» Subscribe to eNewsletter](#)[» Buy from HP](#)[» Find a HP reseller or retailer](#)

More to explore

[» Printing & imaging expertise centre](#)

Image is an approximate guide only

[» Models](#)[» Overview](#)**Specifications**[» Supplies, Accessories & Others](#)

System features



Functions	HP LJ 3052 AIO: Black-and-white printing, black-and-white copying, black-and-white and colour scanning HP LJ 3055 AIO: Black-and-white printing, black-and-white copying, black-and-white faxing, black-and-white and colour scanning
-----------	--

Print speed / processor / memory

Print speed (black, normal quality, A4)	Up to 18 ppm
Processor type	Motorola Coldfire® v 4e
Processor speed	264 MHz
Standard memory	64 MB
Maximum memory	64 MB

Printing system

First page out (black, A4)	8 sec
Duty cycle (monthly, A4)	Up to 7000
Print quality (black, normal quality)	Up to 1200 x 1200 dpi
Duplex print options	Manual (driver support provided)

[» HP Printers are Windows Vista™ Ready!](#)[» Register with HP for monthly tips, tricks, promotions & projects](#)

Please rate this page

bad

good

Standard printer languages	HP PCL 6, HP PCL 5e, HP Postscript Level 3 emulation
Copy system	
Copy speed (black, draft quality, A4)	Up to 18 cpm
Maximum number of copies	Up to 99
Copy resolution (black graphics)	Up to 600 x 600 dpi
Copier resize	25 to 400%
Scan system	
Scan type	Flatbed, ADF
Enhanced scanning resolution	Up to 19200 dpi
Optical scanning resolution	Up to 1200 dpi
Maximum scanning size	21.6 x 38.1 cm
Bit depth	24 bit
Color scanning	Yes
Gray scale levels	256
Scan file format	JPEG, TIF, BMP, GIF, PDF, PNG
Fax functionality	
Fax speed	HP LJ 3055 AIO: 33.6 Kbps (3 sec per page)
A4 pages held in memory	HP LJ 3055 AIO: Up to 110 pages (2 MB)
Colour faxing	HP LJ 3055 AIO: No
Auto-redialing	HP LJ 3055 AIO: Yes
Fax delayed sending	HP LJ 3055 AIO: Yes
Max nr. of broadcasting locations	HP LJ 3055 AIO: 119 locations
Paper handling / media	
Auto document feeder capacity	Standard, 50 sheets
Standard paper trays	2
Maximum number of paper trays	2
Media types supported	Paper (bond, colour, glossy, heavy, letterhead, light, plain, preprinted, prepunched, recycled, rough), envelopes, transparencies, labels, cardstock
Standard input capacity (sheets)	Up to 260
Maximum input capacity (sheets)	Up to 260

Standard output capacity (sheets)	Up to 100
Maximum output capacity (sheets)	Up to 100
Standard media sizes	A4, A5, B5, C5, C6, DL (ISO), postcard; automatic document feeder (ADF): A4, A5
Custom media sizes	Media input tray and priority slot: 76 x 127 to 216 x 356 mm; automatic document feeder (ADF): 127 x 127 to 216 x 381 mm
Recommended media weight	75 to 90 g/m ²
Paper handling	250-sheet input tray, 10-sheet priority tray, 50-sheet automatic document feeder, 100-sheet output bin
Other technical information	
Standard connectivity	Built-in 10/100 wired Ethernet network connectivity with 1 RJ-45 port; Hi-Speed USB (compatible with USB 2.0 specifications) port
Compatible operating systems	Microsoft® Windows® 2000, XP Home, XP Professional, Server 2003; Windows Vista™ Ready; Mac OS X v 10.3 or higher
Compatible network operating systems	Via Built-in 10/100 Base-T TCP/IP networking: Windows 2000, XP Home, XP Professional, XP Professional x64, Server 2003; Novell NetWare NDPS services via TCP/IP only on 3.2, 4.2, 5.x, 6.x; HP Gateway (TCP/IP raw only) and Novell LPD gateway; Apple Mac OS X v 10.3 and higher; Bonjour discovery supported; Red Hat Linux 6.x and higher; SuSE Linux 6.x and higher; HP-UX 10.20, 11.x; Solaris 2.5x, 2.6, 7, 8, 9, 10 (SPARC systems only); IBM AIX 3.2.5 and higher; MPE-iX; Citrix MetaFrame; Windows Terminal Services
Minimum system requirements	Microsoft® Windows® 2000, XP (32-bit Home and Professional): any Pentium II processor (Pentium III or greater recommended), 128 MB RAM, 250 MB hard disk space, SVGA 800 x 600 with 16-bit color display, Internet Explorer 5.5 or greater (full install), CD-ROM drive, USB port or network port
Control panel	HP LJ 3055 AIO: Intuitive control panel with 2-line, 16-character back lit display, alphanumeric buttons, menu and cancel controls, fax, copy and scan controls, speed-dial keys HP LJ 3052 AIO: Intuitive control panel with 2-line, 16-character back lit display, numeric buttons, menu and cancel controls, copy and scan controls
Hard disk capacity	None
Power consumption	0 watt (off), 10 watts maximum (powersave), 13 watts maximum (standby), 300 watts maximum (active); Typical Electricity Consumption (TEC): 2.199 kWh/Week
Power requirements	Input voltage 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz), 2.3 amp
Operating temperature range	15 to 32.5° C
Dimensions (W x D x H)	497 x 406 x 393 mm
Weight	12 kg

Note: Information published at this site may refer to products, programs or services that are not available in your country. Consult your local HP business contact for information regarding the products, programs and services that may be available. *Prices set out herein are HP's recommended retail prices and inclusive of GST and exclusive of delivery at the time of publication. Prices, promotions, specifications and availability are applicable to Australia only and may change without prior notice. Prices are exclusive of options, accessories and consumables. Despite our best efforts, a small number of items may contain pricing, typography, or photography errors. Acceptance of order is subject to validation of correct prices and promotions by HP. Prices and offers given above may vary from reseller prices and offers.

 [Printable version](#)

[Privacy statement](#)

[Using this site means you accept its terms](#)

[Feedback to webmaster](#)

© 2007 Hewlett-Packard Development Company, L.P.